



2003 Audi TT Coupe Equipment

Legend X = Standard O = Optional - = Not available	180 hp fwd	225 hp quattro®
Technical		
<ul style="list-style-type: none"> • 1.8 liter turbocharged DOHC 180 hp 4-cylinder engine with direct ignition, intercooler, electronic turbo boost regulation, 5-valves per cylinder • 1.8 liter turbocharged DOHC 225 hp 4-cylinder engine with direct ignition, two in-line intercoolers, electronic turbo boost regulation, 5-valves per cylinder • 6-speed automatic transmission with Tiptronic®, steering wheel controls and interlock between D & S • 6-speed manual transmission with synchronized reverse gear, dual mass flywheel • Front wheel drive • quattro® - permanent all-wheel drive system, includes Haldex® coupling • Anti-lock Brake System (ABS) with Electronic Differential Lock (EDL) and Electronic Brake-force Distribution (EBD) • ASR (Anti-Slip Regulation) full time traction control • 2-sided fully galvanized body assembly with aluminum hood • ESP (Electronic Stabilization Program) 	<ul style="list-style-type: none"> x - x - x - x x x x x 	<ul style="list-style-type: none"> - x - x x - x x x - x x
Wheels / Tires / Suspension / Steering		
<ul style="list-style-type: none"> • 7Jx16 (ET 31) 7-spoke cast alloy wheels with 205/55 R16 summer performance radial tires • 7.5Jx17 (ET 32) 6-spoke cast alloy wheels with 225/45 R17 summer performance radial tires • 7.5Jx17 (ET 32) 5-spoke forged alloy wheels with 225/45 R17 summer performance radial tires • 7.5Jx18 (ET32) 7-spoke cast alloy wheels with 225/40 R 18 summer performance radial tires • MacPherson struts (gas charged) front suspension with 3-point forged lower control arm, negative roll radius, directly coupled stabilizer bar • Torsion-beam rear axle with trailing arms, stabilizer bar, separate coil spring and shock absorbers (gas charged), and toe correcting axle bushings • Parallelogram multi-link independent rear suspension • Rack and pinion power steering with quick ratio • Tilt and telescopic (manual) adjustable steering column 	<ul style="list-style-type: none"> x O - - x x - x x x 	<ul style="list-style-type: none"> - x O O x - x x x -
Exterior		
<ul style="list-style-type: none"> • 2.5 MPH (US Federal standard) integrated bumpers in body color (for Canada 5 MPH Canadian standard) • Retractable high pressure headlight washers integrated in front bumper • Body color outside mirrors • Heated windshield washer nozzles • Aluminum door sill trim with TT logo • Aluminum fuel filler door • Nomenclature : <ul style="list-style-type: none"> - TT badge on left rear bumper - quattro® badge on: <ul style="list-style-type: none"> right rear bumper dash trim above glove box right front of grille • Fixed rear spoiler 	<ul style="list-style-type: none"> x x x x x x x x x x x x x x 	<ul style="list-style-type: none"> x x x x x x x x x x x x x x

**2003 Audi TT Coupe
Option Program**



Legend	180 hp fwd	225 hp quattro®
X = Included in Package O = Optional - = Not available		
Options		
• Audio Package	O	O
- Bose® premium sound system with four speakers in doors, two 2-way rear speakers, center speaker in dashboard, 175W amplifier and Audio Pilot technology	x	x
- 6-disc CD changer ¹ (located in storage compartment next to left rear seat)	x	x
• Premium Package	O	O
- 17-inch 6-spoke cast alloy wheels with 225/45 ZR17 performance tires	x	x
- Xenon high intensity discharge headlights with automatic self-leveling	x	x
- HomeLink® universal garage door opener	x	x
- Heated front seats with individual temperature control (standard in Canada)	x	x
- Automatic light adjustment	x	x
Separate options		
• Motorola® hands-free digital portable telephone	O	O
• Audi Navigation System	O	O
• Alcantara steering wheel, for 180 hp will have Tiptronic® controls	O	O
• 17-inch all season tire	O	O
• 17-inch 6-spoke cast alloy wheels with 225 / 45 R 17 summer performance tires	O	x
• 17-inch 5-spoke forged alloy wheels with 225 / 45 R 17 summer performance tires	-	O
• 18-inch 7-spoke cast alloy wheels with 225 / 40 R 18 summer performance tires	-	O
Warranty Information for all models		
United States / Canada		
<ul style="list-style-type: none"> • 4-year/50,000 mile new vehicle limited warranty / 4-year/80,000 km new vehicle limited warranty • 4-year/50,000 mile no-charge scheduled maintenance / 4-year/80,000 km no-charge scheduled maintenance • 12-year limited warranty against corrosion perforation • 24-hour Roadside Assistance for 4 years <p>"Tiptronic" is a registered trademark of Audi AG "quattro" is a registered trademark of Audi AG "Audio Pilot" is a registered trademark of Bose Corporation. "Motorola" is a registered trademark of Motorola, Inc. "Bose" is a registered trademark of Bose Corporation. Covered by patent rights issued and/or pending. "Haldex" is a registered trademark of Haldex Traction Systems, Sweden "HomeLink" is a registered trademark of Johnson Controls, Inc.</p> <p>1) Dealer installation also available</p>		

Technical Specifications		2003 TT Coupe	
ENGINE:			
Type	Four cylinder inline, turbocharged, charge air intercooling		
Arrangement	Front mounted, transverse		
	180 hp version		225 hp version
Bore	3.18 in.	81 mm	3.18 in. 81 mm
Stroke	3.40 in.	86.4 mm	3.40 in. 86.4 mm
Displacement	107 cu. in.	1781 cc	107 cu. 1781 cc
Compression ratio	9.5:1		9.0:1
Fuel requirement	Premium unleaded (91 AKI) recommended for maximum performance		
Horsepower (SAE)	180 hp	@ 5500 rpm	225 hp @ 5900 rpm
Max. Torque	173 lbs. ft.	@ 1950 - 4700 rpm	207 lbs. ft. @ 2200-5500 rpm
Max. Turbo boost	1.8 bar		2.1 bar
Crankshaft	Forged steel, 5 main bearings		
Cylinder head	Aluminum alloy		
Valve train / intake	DOHC, belt driven, hydraulic lifters		
Firing order	1-3-4-2		
Cooling system	Water-cooled, thermostatically controlled radiator fan		
Lubrication system	Gear pump, pressurized, full flow with oil cooler		
Fuel injection / Ignition system	ME 7.5 Motronic with electronic multi-point sequential fuel injection, hot film air mass sensor, solid state direct ignition with multiple coils, dual knock sensors with cylinder selective knock control, electronic throttle operation and fully adaptive controls		
Emission system	3-way catalytic converter with dual oxygen sensors		
ELECTRICAL SYSTEM:			
Battery	12 volts	60 amp/hr	
Alternator	14 volts	120 amp	
DRIVETRAIN:			
Transmission	6-speed automatic (180 HP) with Tiptronic/6-speed manual (225 HP) with synchronized reverse, dual mass flywheel with hydraulic clutch		
Type	180 hp FWD		225 hp quattro®
	Automatic		Manual
Gear ratios: 1st	4.044		3.417
2nd	2.371		2.105
3rd	1.556		1.429
4th	1.159		1.088
5th	0.852		1.097
6th	0.676		0.912
Reverse	3.193		4.107
Final Drive front / rear			3.316 / 4.200
Front Differential	Hypoid gear, electronically locking (EDL)		
Center Differential	Haldex electronically controlled multi-plate coupling automatic and variable front to rear power proportioning		
Rear Differential	Hypoid gear		
Type	Rack and pinion, variable power assist		
Ratio	15.6:1		
Turns (lock-to-lock)	2.8		
Turning circle (curb-to-curb)	34.2 ft.	10.45 m	
SUSPENSION:			
Front	MacPherson strut (gas charged) with 3-point lower control arm, directly coupled stabilizer, negative roll radius		
Rear (fwd)	Torsion-beam axle with trailing arms, stabilizer bar, separate coil spring and shock absorbers (gas charged), toe correcting axle bushings		
Rear (quattro®)	Parallelogram multi-link independent, stabilizer bar, coil spring / shock absorber (gas charged)		

Technical Specifications (continued)
2003 TT Coupe
BRAKES:

Service brake	Anti-lock brake system, vacuum power assist, with asbestos-free linings, dual diagonal circuits, and electronic rear brake pressure proportioning			
	180 hp FWD		225 hp quattro®	
Front, size and type	12.3 in.	312 mm	12.3 in.	312 mm - Vent. disc
Rear, size and type	9.1 in.	232 mm	10 in.	256 mm - Vent. disc
Parking brake	Mechanically actuated at the rear wheels			

WHEELS (standard only):

Size	7.5J x 16, cast aluminum, seven spoke design			
	7.5J x 17 cast aluminum, six spoke design (225 hp version)			

TIRES (standard only):

	205 / 55 R 16 W summer performance radial			
Size	225 / 45 R 17 Y summer performance radial (225 hp version)			

BODY:

Material	Fully galvanized (both sides) steel, aluminum hood			
Corrosion protection	Multi-step anti-corrosion protection Cw = 0.34 frontal area = 1.99 m ²			

CAPACITIES:

	180 hp FWD		225 hp quattro®	
Engine oil	4.8 qt.	4.5 liter	4.8 qt.	4.5 liter
Fuel tank	14.5 gal.	55 liter	16.3 gal.	62 liter
Cooling system	7.4 qt.	7 liter	7.4 qt.	7 liter

EXTERIOR DIMENSIONS:

	180 hp FWD		225 hp quattro®	
Wheelbase	95.4 in.	2422 mm	95.6 in.	2429 mm
Track: front / rear	60 in.	1525 mm / 1513mm	60 in.	1525 mm / 1507mm
Overall length	159.1 in.	4041 mm	159.1 in.	4041 mm
Overall width	73.1 in.	1856 mm (includes mirrors)	73.1 in.	1856 mm (includes mirrors)
Height	53 in.	1346 mm	53 in.	1346 mm
Ground clearance	4.4 in.	113 mm	4.4 in.	113 mm
Curb weight	2921 lbs.	1325 kg	3274 lbs.	1485 kg
Distribution % front / rear	62 / 38 (180 hp fwd)		60/40 (225 hp quattro®)	

INTERIOR DIMENSIONS:

Seating Capacity	2 plus 2			
EPA class	Minicompact			
Head room front / rear	37.8 in.	959 mm	/	32.6 in. 828 mm
Shoulder room front / rear	55.6 in.	1412 mm	/	48.1 in. 1221 mm
Leg room front / rear	41.2 in.	1047 mm	/	20.2 in. 512 mm
Int. vol. (EPA) front / rear	41.2 cu. ft.		/ 17.7 cu. ft.	
Luggage capacity (EPA)	13.8 cu. ft. (24.2 cu.ft. with seat folded)		10.8 cu. ft. (18.6 cu.ft. with seat folded)	

PERFORMANCE:

	180 hp version	225 hp version
	Front wheel drive	quattro®
0-60 mph	7.9 sec.	6.3 sec.
1/4 mile	15.8 sec.	14.2 sec.
Top speed - 180 hp version	Electronically limited to 130 mph (209 km/h) for North America	
Top speed - 225 hp version	Electronically limited to 143 mph (230 km/h) for North America	

FUEL ECONOMY:

	EPA estimate	
	180 hp FWD	225 hp quattro®
City	21 mpg	20 mpg
Highway	29 mpg	29 mpg
Combined	24 mpg	23 mpg

FUEL ECONOMY:

	Canadian estimate	
	180 hp quattro®	225 hp quattro®
City	11.4 liters/100km	11.8 liters/100km
Highway	7.4 liters/100km	7.6 liters/100km



2003 TT

Order Code	Model	Body Style	Transmission	Drivetrain	Suggested Retail	
8N355U	TT	180 Coupe	6-Spd Automatic Tip.	FrontTrak	\$ 32,500	
8N3569	TT	225 Coupe	6-Speed Manual	quattro	\$ 36,200	
8N955U	TT	180 Roadster	6-Spd Automatic Tip.	FrontTrak	\$ 34,500	
8N9569	TT	225 Roadster	6-Speed Manual	quattro	\$ 39,000	
		<u>180 Coupe</u>	<u>180 Roadster</u>	<u>225 Coupe</u>	<u>225 Roadster</u>	
	Leather Upholstery	S	S	S	S	NC
PLG	Baseball Optic Leather	N/A	O	N/A	O	1,000
PPX	<u>Premium Package</u>	O	O	O	O	1,100
	<i>HomeLink® Remote Transmitter</i>					
	<i>Xenon Lights</i>					
	<i>Heated Front Seats</i>					
PAS	<u>Audio Package</u>	O	O	O	O	1,200
	<i>Bose (R) Premium Sound System</i>					
	<i>Six Disc CD Changer</i>					
3FN	Power Folding Top	N/A	O	N/A	S	800
PRX	17-Inch 6-Spoke Cast Alloy Wheels w/ All-Season Tires	O	O	N/A	N/A	550
PRX	17-Inch 6-Spoke Cast Alloy Wheels w/ All-Season Tires	N/A	N/A	O	O	NC
PRC	17-Inch Cast Alloy Wheels w/ High Performance Tires	O	O	N/A	N/A	550
PRL	17-Inch 5-Spoke Forged Alloy Wheels w/ Perf. Tires	N/A	N/A	O	O	600
PRY	18-Inch 7-Spoke Cast Alloy Wheels w/ Performance Tires	N/A	N/A	O	O	775
PNK	Audi Navigation System (Map CD's Included)	O	O	O	O	1,350
P19	Alcantara Steering Wheel	O	O	O	O	275
9ZG	Cell Phone Prep	O	O	O	O	350
0LM	California Emissions Requirements	O	O	O	O	NC
1QE	Northeast Trading Region Emissions Req.	O	O	O	O	NC

Key: O = Optional
S = Standard

NA = Not Available
NC = No Charge

Specifications, equipment, options and prices are subject to change without notice. Some items may be unavailable when the vehicle is built.

Prices exclude destination charges, registration and dealer delivery charges.

Intro 2003 MY Prices

H:\Audi Price Lists\MY03\2003 CAN French Master Prices Dealer & Retail only(original).xls\TT Dealer